

CTSU Lab Room Freezer Min/Max Temperature Log

Maintain temperature between 15°C to 30°C

Lab Room Temperature

Refrigerator or Freezer ID/Location:
CTSU RAINBOW

Month 4 April Year 2025 Threshold: No Threshold

Document the details of any temperature excursion in comments below. Alert study team if excursion exceeds threshold.

	Date (Weekdays only)	Time	Actual Temp	Min °C	Max °C	Initials	Comments
Tue	4/1/2025	0750	20.4	22.2	19.6	MW	
Wed	4/2/2025	0900	20.5	20.9	20	MW	
Thu	4/3/2025	0900	20.5	20.9	20	PL	
Fri	4/4/2025	0900	20.5	20.9	20	PL	
Mon	4/7/2025	0950	20.6	21.8	18.2	PL	
Tue	4/8/2025	0757	20.3	21.8	18.2	PL	
Wed	4/9/2025	1046	20.1	21.8	18.2	MW	
Thu	4/10/2025	0750	20.4	21.8	18.2	MW	
Fri	4/11/2025	0750	20.4	21.8	18.2	PL	
Mon	4/14/2025	1005	20.9	22.8	20	PL	
Tue	4/15/2025	0940	20.6	22.8	20	PL	
Wed	4/16/2025	1015	21.1	22.8	19.5	ADK	
Thu	4/17/2025	0820	21.2	22.8	19.4	ADK	
Fri	4/18/2025	0733	21.5	20.8	19.5	MW	
Mon	4/21/2025	0710	21.6	22	20.6	MW	
Tue	4/22/2025	0710	19.6	22.2	18.1	MW	
Wed	4/23/2025	0745	19.6	22.2	18	MW	
Thu	4/24/2025	0715	19.6	22.2	18	MW	
Fri	4/25/2025	0702	19.6	22.2	18.1	MW	
Mon	4/28/2025	0741	20.3	22.2	17.1	MW	
Tue	4/29/2025	0900	20.3	22.2	17.1	MW	
Wed	4/30/2025	0743	20.6	21.9	18.3	MW	
Thu	5/1/2025						

Key: * Heavy usage