

CTSU Lab Fridge Min/Max Temperature Log

Maintain temperature between 2°C to 8 °C

Month **February**

Year **2024**

Refrigerator ID/Location: Lab room fridge ABS951703280749G1801

Date (Weekdays only)	Time	Min °C	Max °C	Initials	Comments
Thu 2/1/2024	0900	3	3	DW	
Fri 2/2/2024	0900	3	3	DW	
Mon 2/5/2024	0800	3	3	DW	
Tue 2/6/2024	0900	2	2	LM	
Wed 2/7/2024	0800	2	2	DW	
Thu 2/8/2024	0800	2	2	DW	
Fri 2/9/2024	0800	3	3	DW	
Mon 2/12/2024	0900	3	3	DW	
Tue 2/13/2024	0900	3	3	DW	
Wed 2/14/2024	0800	2	2	LM	
Thu 2/15/2024	0900	2	2	DW	
Fri 2/16/2024	0800	3	3	LM	
Mon 2/19/2024	1000	3	3	DW	
Tue 2/20/2024	0915	2	2	DW	
Wed 2/21/2024	0900	3	3	DW	
Thu 2/22/2024	1000	3	3	DW	
Fri 2/23/2024	1000	3	3	DW	
Mon 2/26/2024	0800	2	2	DW	
Tue 2/27/2024	0830	3	3	DW	
Wed 2/28/2024	1000	3	3	DW	
Thu 2/29/2024	1000	3	3	DW	

Key: * Heavy usage
 % Normal peak of cooling curve
 # Normal trough of cooling curve