

CTSU Med Room Min/Max Temperature Log

Maintain temperature between 15°C to 30 °C

Month **February**

Year **2024**

Refrigerator ID/Location: Med Room

	Date (Weekdays only)	Time	Min °C	Max °C	Initials	Comments
Thu	2/1/2024	0719	18.59 21.85	22.30 14.89	Yds	
Fri	2/2/2024	0815	18	21	adv	
Mon	2/5/2024	0811	18.71	22.59	Yds	
Tue	2/6/2024	0718	18.77	22.55	Yds	
Wed	2/7/2024	0727	18.62	22.70	Yds	
Thu	2/8/2024	0718	18.77	22.23	Yds	
Fri	2/9/2024	0820	18.62	22.26	adv	
Mon	2/12/2024	0727	18.98	22.59	Yds	
Tue	2/13/2024	0731	18.88	22.52	Yds	
Wed	2/14/2024	0708	18.64	22.48	Yds	
Thu	2/15/2024	0800	18.51	22.58	Yds	
Fri	2/16/2024	0820	18.8	22.58	adv	
Mon	2/19/2024	0820	18.98	22.59	adv	
Tue	2/20/2024	0803	18.70	22.56	Yds	
Wed	2/21/2024	0732	18.70	22.56	Yds	
Thu	2/22/2024	0730	18.53	22.41	Yds	
Fri	2/23/2024	0825	18.66	22.58	adv	
Mon	2/26/2024	0713	18.57	22.25	Yds	
Tue	2/27/2024	0726	18.57	22.07	Yds	
Wed	2/28/2024	0720	18.69	22.32	Yds	
Thu	2/29/2024	0720	19.25	22.65	Yds	

Key: * Heavy usage
 % Normal peak of cooling curve
 # Normal trough of cooling curve